# UNIJOURN

### **Control Strategy in Electric Vehicle: A Visualized Bibliometric Analysis**

Muhammad Rizalul Wahid<sup>1,2\*</sup>, Diky Zakaria<sup>3</sup>, Elysa Nensy Irawan<sup>3</sup>, Endra Joelianto<sup>2,4</sup>

<sup>1</sup>Graduate Program in Engineering Physics, Faculty of Industrial Technology, Institut Teknologi Bandung <sup>2</sup>National Center for Sustainable Transportation Technology (NCSTT), Institut Teknologi Bandung, Bandung, Indonesia

<sup>3</sup>Mechatronics and Artificial Intelligence, Universitas Pendidikan Indonesia, Bandung, Indonesia
<sup>4</sup>Instrumentation and Control Research Group, Faculty of Industrial Technology, Institut Teknologi Bandung, Bandung, Indonesia

\*Email: muhammadrizalulwahid@students.itb.ac.id

#### Abstract

Control strategy has an important role in electric vehicles. It determines the efficiency and performance of electric vehicles. This study analyzes the control strategies on electric vehicles by a bibliometric analysis using VOSviewer, Open Refine and Tableau Public software. In this study, the dataset was taken from Scopus. The number of articles used is 1403 documents. The keywords used in Scopus database based on TITLE-ABS-KEY (title, abstract, keyword) are "control strategy" AND "electric vehicle" OR "EV". Based on the result analysis, the number of studies on control strategies in electric vehicles continues to increase from 2013 to 2022. Result analysis of this study provides information that the latest research trend related to control strategies in electric vehicles is wireless power transfer, switched reluctance motor, energy consumption, robust control, disturbance observer, battery life, deep reinforcement learning, reinforcement learning, ECMS and fuzzy logic control. We find that the most influential and productive authors are from China.

#### Keywords

Bibliometric analysis; Control strategy; Electric vehicle; Scopus; VOSviewer software.

#### 1 Introduction

There are 3 important components in electric vehicles (EV) that support the vehicle to run properly, those are the battery as a power source of the EV, the electric motor as a driver that produces mechanical energy, and the drive system to transfer the mechanical energy to the wheels [1]. The battery as the main power source has a characteristic of large energy density which stores amounts of energy electricity to supply the motor [2]. Electric motors have high torque for starting and uphill propulsion and high power density for speeding when driving [3-4]. The drive train system with various configurations such as battery electric vehicle (BEV), hybrid electric vehicle (HEV), and plug-in hybrid electric vehicle (PHEV), determines the energy transfer process to maintain the EV performance [5]. Since these components play an important role for the EV, they require an optimal control strategy to achieve good efficiency and better performance of electric vehicles.

Control strategy in EV is very complex, generally managing all processes related to the functional aspects of every support system such as managing power modes for EV (e. g. start-up, driving, charging) [6], torque request acquisition and validation, torque management on EV (e. g. calculation of driver torque demand, drivability filtering and torque limitation) [7-8], vehicle powertrain control, transmission gear control, battery charge (AC & DC) [9-11], thermal management, energy management [12-13], and safety monitoring unit.

The complexity of strategy control is an opportunity for researchers to lead research in this field. On the other hand, the issues emerge for the researchers to figure out which gaps can be placed to conduct research, and what topics are currently being discussed in tackling issues related to EV, especially strategy control. This encourages extensive research on EV especially strategy control has been increasingly conducted. Therefore, a state-of-the-art reference is needed to take care of the issue by responding to several questions related to it.

- 1. How are the global EV trends and research directions that have appeared over the years?
- 2. How is a holistic map of the EV research themes aligned with strategy control perspectives?
- 3. What are the correlations, and connection patterns among the keywords identified in the EV control strategy analysis?

Received April 11, 2022, Revised April 26, 2022, Accepted for publication April 28, 2022

4. Who is the most influenced and the most productive author, country, and research center in the topic of control strategy in EV?

Bibliometric analysis assists the researchers in dealing with numerous publications and quantitatively analyzing the research papers concerned about the research area [14]. Therefore, the author is using bibliometric analysis to analyze the key areas of EV control strategy research and to predict the direction of future studies. The present study aims to provide a body of knowledge for EV research themes such as trends, the most influenced author, the most publication, and a holistic map of EV research regarding control strategy over the last decades (2013-2022). The last decade's articles (the last 10 years) are selected based on the Publication manual of the American Psychological Association, 7th ed. It stated that the ideal publication is compiled within the last 5 - 10 years [15]. In order to maximize the data, the articles are selected from the last 10 years. To achieve the aim of this study, a mixedmethod approach, including bibliometric analysis, text mining, data extraction, and content analysis & interpretation are applied.

#### 2 Method

Bibliometric analysis is the method to identify the scientific research trends with a special topic statistically [14,16]. Bibliometric is very useful to synthesize the research findings and trends that can give the insight for the empirical researcher to find the originality and novelty of their own research [17-18]. The dataset of bibliometric analysis can be accessed from various sources such as Scopus, Web of Sciences and Google Scholar [19-20]. In this paper, the dataset from Scopus is selected because it gains the most trusted journal and presents a variety of information from all over the world [21].

The method of the research is shown in Figure 1. The explanation of Figure 1 in detail is provided in the next subsection.



Figure 1 Step by step of the bibliometric analysis

#### 2.1 Search criteria and data mining

In stage 1 (Figure 1), the author defines the search criteria to get the useful and matching data [22]. Data mining was carried out on March 10, 2022, in the Scopus database. The keywords used in Scopus database based on TITLE-ABS-KEY (title, abstract, keyword) are "control strategy" AND "electric vehicle" OR "EV". The inclusion and exclusion criteria are documented in the last 10 years (2013-2022) because authors want to reveal the latest research streamline in the main topic of "Control Strategy in EV". The subject areas included are only engineering, energy, and computer science. Authors exclude subject areas such as social science, chemical engineering, and mathematics since they do not fit to this research topic. The authors also selected journal articles and final publications only. Generally, the journal article has a tight and rigorous review process to produce articles in good quality [18].

<b>Table 1.</b> Inclusion and exclusion criteria of Scopus data	set
---	-----

No	Inclusion and Exclusion Criteria	Amount of Scopus Documents
1	Keywords: "control strategy" AND "electric vehicle" OR "EV"	7089
2	Limit to last 10 years (2013-2022)	5120
3	Filter by subject area: engineering, energy, computer science	4873
4	Limit to:	1845
	Document type: article only	
	Source type: journal only	
	Language: English only	
	Publication stage: Final	
5	Filter by keywords: electric vehicles, control strategies, electric machine control,	1403
	electric vehicle, fuel economy, controllers, energy efficiency	
6	Final Dataset	1403 documents

The inclusion and exclusion criteria are more detailed in Table 1. After applied the inclusion and exclusion criteria, authors exported the dataset into a CSV file with the detail as in Figure 2.

ou have chosen to export 515 docume	ents			
Select your method of export				
MINDELEY O Extéris	RIS Format     EndNone,     Addrence Manager	Plain Test ASCI In HTML		
What information do you want to ex	port?	_	_	_
Citation information	Bibliographical information	Abstract & keywords	Funding details	Other information
Author(s)	Affiliations	Abstract	Number	Tradenames & manufacturers
Author(s) ID	Serial identifiers (e.g. ISSN)	Author keywords	Acronym	Accession numbers & chemicals
Document title	PubMed ID	Index keywords	Sponsor	Conference information
Year	Publisher		Funding text	Include references
ED	Editor(s)			
<ul> <li>Source title</li> </ul>	Language of original document			
wołume, issue, pages	Correspondence address			
Citation count	Abbreviated source title			
Source & document type				
Publication Stage				
Open Access				
Open Access				

Figure 2 Exported dataset detail (orange marked).

#### 2.2 Refining dataset

In refining dataset stage as in Figure 1, the Scopus raw dataset needs to be refined because there is bias such as redundant or same terminology that split differently [17]. The author use Open Refine 3.5.2 to minimize the bias. After uploaded the dataset to Open Refine, the result is shown in Figure 3.

THUS TOWS           Show as: rows records         Show: 5 10 25 50 100 500 1000 rows							
nk	Affiliations	Authors with affiliations	Abstract	Author Keywords	Index Keywords	- Mok	
www.sepa.com/inset United	Dahl Canar for Systems and Canard, Dahr Hanney Massay Mathematica Nathematica	Banes, E.A., Delf Cateller for Systems and Costrol, Balt Vesteringer, Polity, Balt Mathematics, Paper, Balt Mathematics, Paper, Balt Costrol, Deff Lifversity of Thombody Metamerg 2, 18 - Thombody Metamerg 2, 18 - Delf Cateller for Systems and Delf Cateller for Systems and Delf Cateller for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Delf Catellor for Systems and Del	Beachfordson of Laboratoria and Laboratoria an	Demand response Becknin veholes Hongren Bengre Mode predictive control	Costs. Electric power transmission webcloss, esto hereatmarks, Model Investmark, Model Network, Model Variante en grid Variante en grid Response Electronic energy: Model-predictive oversion (sum of any network), and com non-departure version (sum of any non-departure), wholes non-departure version (sum of any non- negative version (sum of any non- negative), wholes non-departure version (su		

Figure 3 Screen display of Open Refine 3.5.2 after the dataset is uploaded.

There are 1403 data rows, the same amount of final Scopus dataset (Figure 3). The data in the author keywords and index keywords column are refined because there are several words that have the same meaning but separated. The example words with the same meaning are shown in Figure 4.

Method key o	olision	Keying Function	fingerprint v		378 clusters fou
<b>Cluster Size</b>	Row Count	Values in Cluster	Merge?	New Cell Value	Choices in Cluster
5	7	Bidirectional DC-DC converter (3 rows)     Bidirectional DC-DC Converter     bidirectional DC-DC converter     bidirectional DC-DC converter     bidirectional dc/dc converter		Bidirectional DC-DC converter	2-5
4	17	Multi-objective optimization (0 rows)     multi-objective optimization     Multi-objective optimization     multiobjective optimization		Multi-objective optimization	0 - 290
4	18	Pontyagin's minimum principle (10 rows)     Pontyagin's Minimum Principle (3 rows)     Pontyagin's minimum principle (2 rows)     pontyagin's minimum principle		Pontryagin's minimum princip	Average Length of Choices
•	8	Microgrids (2 rows)     Micro-grids     Micro-grids     MicroGrids     microgrids		Microgrids	3 — 63 Length Variance of Choices
4	48	Electric vehicle (EV) (24 rows)     electric vehicle (EV) (22 rows)     EV (electric vehicle)     Electric Vehicle (EV)		Electric vehicle (EV)	0-1
4	•	Equivalent consumption minimization strategy (EC     ECMS: Equivalent Consumption Minimization Strategy (EC     Explored Consumption Minimization Strategy (EC	MS) (2 rows)	Equivalent consumption minir	

Figure 4 Refining the same meaning words

The refining data process shown in Figure 4 is exported to the CSV extension file. The refined final dataset will be visualized by VOSviewer and Tableau Public for analysis and interpretation.

#### 2.3 Software and data extraction

In software and data extraction stage, to make graphic and data visualization of the refined data based on the research question, we use VOSviewer 1.6.17 and Tableau Public 2022.1 software. Each software is open access and easy to use, they also can visualize the refined data in incredibly good [23].

#### 2.4 Data analysis and interpretation

The visualized data is analyzed and interpreted to answer the research questions that consist of research development in control strategy of EV, the most productive country regarding control strategy of EV research, research center / university involved in the topic, the most productive and influence author in the topic and the research trend of control strategy in EV.

#### **3** Results and Discussion

## 3.1 Research development in "control strategy in electric vehicle

As mentioned before, the 1403 articles published in reputable journals indexed by Scopus. The number of publications in the last 10 years (2013-2022) is presented in Figure 5.



**Figure 5** Number of publications regarding the main topic in the last 10 years.

Based on Figure 5, there are an increasing number of publications in every year, except from 2014 to 2015. In the first quarter of 2022, there were one hundred

publications regarding the topic. Therefore, the average from the number of publications by the end of 2022 based on the first quarter approximately in three hundred publications. The interesting fact is that the covid-19 pandemic did not affect the productivity of the researchers in the field of control strategy of electric vehicles. From 2019 to 2021, the number of publications will keep increasing. The covid-19 pandemic impact to the stability of global electric vehicles supply chain [24].

### 3.2 The most productive country regarding topic "control strategy of electric vehicle"

Figure 6 shows the most productive country in publication regarding the topic.



Figure 6 Mapping of the top ten most productive countries in publication regarding the topic.

Based on Figure 6, China became the most productive country with 767 documents (54,66%). The second to the fifth are the United States with 177 documents (16,97%) and Canada with 79 documents (7,57%), India with 78 documents (7,47%) and the United Kingdom with 71 documents (6,8%) respectively. Compared to other countries, China is leading in publication regarding the topics by a large number. It happens because China's government gives incentives to the researchers that do the research in EV development since 2005 [16,25]. The research productivity in a country related to the country's intellectual and economic wealth. By the further analysis, it has the possibility to present the status of countries in other aspects [26].

### **3.3 Research center / university involved in the topic**

Figure 7 indicates the research center involved in the topic "control strategy in electric vehicles". Unsurprisingly, the top 10 research centers / universities are all from China. Research center / university with the greatest number of publications in the topic is State Key Laboratory of Automotive Safety and Energy, Tsinghua University Beijing, China with 26 documents. They did a lot of research on EVs, for example Energy efficiency optimization of EV [27], implementation of EV in China and the US [28], design and control of a novel two-speed uninterrupted mechanical transmission for EV [29], and PI antiwindup speed control for EV [30].

26

1						
	state key laboratory of automotive safety and energy, tsinghua university, beijing, 100084, china 26	national engineering laboratory for electric vehicles, beijing institute of technology, beijing, 100081, china 15	state key laboratory of automotive simulation and control, jilin university, changchun, 130022, china 13	school of automotive and traffic engineering, jiangsu university, zhenjiang, 212013, china 11		
		collaborative innovation center of electric				
		technology, beijing, 100081, china 14	school of automotive studies, tony university, shanghai, 201804, chir 11	ngji Ina	national engineering laboratory for	
	school of mechanical engineering, beijing institute of technology, beijing, 100081, china 22				electric vehicles, school of mechanical engineering,	
		school of automotive engineering, chongqing university, chongqing, 400044, china 13	state key laboratory of mechanic transmissions, chongqing univer chongqing, 400044, china 11	beijing institute al of technology, sity, beijing, 100081, china 10		

Figure 7 Tree map of research center / university that published the most paper in the topic.

Based on Figure 7, it informs that if someone want to pursue the master or doctoral degree or do the collaboration research in control strategy in EV, China can be considered as one of the best choices.

### **3.4** The most influenced and most publication author in the topic

Based on the refined dataset, there are 3011 authors in the total 1043 documents. The author with a minimum 5 or more documents linked to their name in VOSviewer software is analyzed to see the list of top cited author or it can say "the most influenced author" in the topic [31]. The most influenced author measure the capability of their field or discipline [32]. There are only 203 authors (6,74%) meet the threshold. Figure 8 shows the most cited author in the topic. The author "Xiong R" is the most cited author, although the author "Xiong R" only has 12 documents.



Figure 8 The most cited author in the topic

Figure 9 shows the author with the most publication in the topic. The author "Zhang Y " is the author with the most publications compared to the others. The interesting fact is the author with the most publications does not automatically become the most cited author. Based on Figure 8 and 9, it can be concluded that the most influential author in the topic is "Xiong R" and the most productive author in the topic is "Zhang Y".



Figure 9 Author with the most publication in the topic

#### 3.5 The most cited journal in the topic

Another important category to be analyzed by bibliometric is the amount of citation of the journals. It is important because it presents the key areas or scope of the research involving control strategy in electric vehicles. It also measures the impact in the scientific community of an article, and cumulatively [33]. Based on the refined final dataset, there are 274 journals and only 34 journals meet the threshold with the minimum number of documents of a journal to 10 or more.



Figure 10 Visualization of journals based on the number of documents of a journal and total link strength.

Based on Figure 10, the bigger node of the journals, the bigger the number of the documents of the journals. Journal "Energies" has the most documents with 134 documents (9,55%). The second and the third journal with the most documents in the topic are journal "Applied Energy" with 75 documents (5,34%) and journal "Energy" with 68 documents (4,84%) respectively. The closer two journals are located to each other, the relatedness between them is stronger. Based on this data, the scope of the journal involving control strategy in electric vehicles can be checked as the main topic. Generally, the journals are in the scope of multidisciplinary subjects such as engineering, transportation, energy, and computer sciences. As the researcher, it can be an optional choice to publish the

research paper that suits the topic of control strategy in EV.

#### 3.6 Author keywords analysis

Author keywords analysis is important to find out the main topic or theme related to control strategy in EV. The results inform the researcher around the world about the trend of the topic. So, it can be easier for the researcher to find the originality and novelty of their research in control strategy in EV. After making thesaurus terms that consist of the same meaning words, from the total of 3517 author keywords, only 125 keywords (3,55%) meet the threshold with the minimum co-occurrence are 5 or more. Figure 11 shows the results of co-occurrence of author keywords.



Figure 11 Network visualization of author keywords based on total link strength.

Based on Figure 11, the strongest keyword is "electric vehicle" as expected. The smaller keywords on the network visualization, the less research conducted about that keyword. It will be great information for researchers to find out the originality and novelty of

their future research. The overlay visualization of the author keywords shown in Figure 12 that informs about what topics are the newest of hotspot in control strategy in EV.



Figure 12 Overlay visualization of author keywords

Based on Figure 12, the keywords used in the newest documents in control strategy in EV are yellow marked. The keywords are wireless power transfer, switched reluctance motor, energy consumption, robust control, disturbance observer, battery life, deep reinforcement learning, reinforcement learning, ECMS and fuzzy logic control. It is great information for the researcher about the latest trends of the research in control strategy in EV.

#### 4 Conclusion

Based on bibliometric analysis using VOSviewer software, in the last 10 years (2013 - 2022), research on control strategies in electric vehicles continues to increase. The most productive country in conducting research on this topic is China, which is 54.66% of the total document dataset used in this study. The results of the analysis of this study provide information about research that is becoming the latest trend related to control strategies in electric vehicles: wireless power switched reluctance transfer. motor. energy consumption, robust control, disturbance observer, battery life, deep reinforcement learning, reinforcement learning, ECMS and fuzzy logic control. Thus, through this research, readers can explore information about potential research ideas to be carried out regarding control strategies in electric vehicles.

#### References

- M. R. Wahid, B. A. Budiman, E. Joelianto, and M. Aziz, "A review on drive train technologies for passenger electric vehicles," *Energies*, vol. 14, no. 20, pp. 1–24, 2021, doi: 10.3390/en14206742.
- [2] Y. Balali and S. Stegen, "Review of energy storage systems for vehicles based on technology, environmental impacts, and costs," *Renew. Sustain. Energy Rev.*, vol. 135, p. 110185, 2021, doi: https://doi.org/10.1016/j.rser.2020.110185.
- [3] Y. H. Cheng, C. M. Lai, and J. Teh, "Application of particle swarm optimization to design control strategy parameters of parallel hybrid electric vehicle with fuel economy and low emission," *Proc. - 2018 Int. Symp. Comput. Consum. Control. IS3C 2018*, pp. 342–345, 2019, doi: 10.1109/IS3C.2018.00093.
- [4] M. R. Wahid, E. Joelianto, and N. A. Azis, "System Identification of Switched Reluctance Motor (SRM) Using Black Box Method for Electric Vehicle Speed Control System," *ICEVT 2019 - Proceeding 6th Int. Conf. Electr. Veh. Technol. 2019*, pp. 208–212, Nov. 2019, doi: 10.1109/ICEVT48285.2019.8994020.
- [5] F. Un-Noor, S. Padmanaban, L. Mihet-Popa, M. N. Mollah, and E. Hossain, "A comprehensive study of key electric vehicle (EV) components, technologies, challenges, impacts, and future direction of development," *Energies*, vol. 10, no. 8, pp. 1–82, 2017, doi: 10.3390/en10081217.
- [6] A. K. Podder, O. Chakraborty, S. Islam, N. Manoj Kumar, and H. H. Alhelou, "Control Strategies of Different Hybrid Energy Storage Systems for Electric Vehicles Applications," *IEEE Access*, vol. 9, pp. 51865–51895,

2021, doi: 10.1109/ACCESS.2021.3069593.

- B. Vijay and R. Shanmughasundaram, "Control Strategy for Parallel Hybrid Electric Vehicles," *Procedia Comput. Sci.*, vol. 143, pp. 678–685, Jan. 2018, doi: 10.1016/J.PROCS.2018.10.448.
- [8] Z. Fu, A. Gao, X. Wang, and X. Song, "Torque split strategy for parallel hybrid electric vehicles with an integrated starter generator," *Discret. Dyn. Nat. Soc.*, vol. 2014, 2014, doi: 10.1155/2014/793864.
- [9] C. C. Castello, T. J. LaClair, and L. Curt Maxey, "Control strategies for electric vehicle (EV) charging using Renewables and local storage," 2014 IEEE Transp. Electrif. Conf. Expo Components, Syst. Power Electron. -From Technol. to Bus. Public Policy, ITEC 2014, Jul. 2014, doi: 10.1109/ITEC.2014.6861835.
- [10] H. sharma, O. P. Jaga, and S. K. Maurya, "Modeling and control strategies for energy management system in electric vehicles," *Perspect. Sci.*, vol. 8, pp. 358–360, Sep. 2016, doi: 10.1016/J.PISC.2016.04.074.
- A. Zhang *et al.*, "A Review of Control Strategy of the Large-scale of Electric Vehicles Charging and Discharging Behavior," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 199, no. 1, p. 012039, May 2017, doi: 10.1088/1757-899X/199/1/012039.
- [12] P. Scarabaggio, R. Carli, G. Cavone, and M. Dotoli, "Smart Control Strategies for Primary Frequency Regulation through Electric Vehicles: A Battery Degradation Perspective," *Energies 2020, Vol. 13, Page 4586*, vol. 13, no. 17, p. 4586, Sep. 2020, doi: 10.3390/EN13174586.
- [13] M. Uzair, G. Abbas, and S. Hosain, "Characteristics of battery management systems of electric vehicles with consideration of the active and passive cell balancing process," *World Electr. Veh. J.*, vol. 12, no. 3, 2021, doi: 10.3390/wevj12030120.
- [14] S. Deni and A. Nandiyanto, "Bibliometric Analysis of Nano-Sized Agricultural Waste Brake Pads Research During 2018-2022 Using VOSviewer," *Int. J. Sustain. Transp. Technol.*, vol. 5, no. 1, pp. 12–17, 2022, doi: 10.31427/ijstt.2022.5.1.2.
- [15] "Publication manual of the American Psychological Association (7th ed.).," *Publ. Man. Am. Psychol. Assoc.* (7th ed.)., Oct. 2019, doi: 10.1037/0000165-000.
- [16] W. Barbosa *et al.*, "Electric Vehicles: Bibliometric Analysis of the Current State of the Art and Perspectives," *Energies*, vol. 15, no. 2, pp. 1–16, 2022, doi: 10.3390/en15020395.
- I. Zupic and T. Čater, "Bibliometric Methods in Management and Organization," Organ. Res. Methods, vol. 18, no. 3, pp. 429–472, 2015, doi: 10.1177/1094428114562629.
- [18] N. Donthu, S. Kumar, D. Mukherjee, N. Pandey, and W. M. Lim, "How to conduct a bibliometric analysis: An overview and guidelines," *J. Bus. Res.*, vol. 133, no. May, pp. 285–296, 2021, doi: 10.1016/j.jbusres.2021.04.070.
- [19] J. K. Tamala, E. I. Maramag, K. A. Simeon, and J. J. Ignacio, "A bibliometric analysis of sustainable oil and gas production research using VOSviewer," *Clean. Eng. Technol.*, vol. 7, p. 100437, 2022, doi: 10.1016/j.clet.2022.100437.
- [20] A. Hassan, H. N. Afrouzi, C. H. Siang, J. Ahmed, K. Mehranzamir, and C. L. Wooi, "A survey and bibliometric analysis of different communication technologies available for smart meters," *Clean. Eng. Technol.*, vol. 7, p. 100424, 2022, doi: 10.1016/j.clet.2022.100424.
- [21] R. Pranckute, "Web of science (Wos) and scopus: The titans of bibliographic information in today's academic

world," *Publications*, vol. 9, no. 1, 2021, doi: 10.3390/publications9010012.

- [22] P. Bajdor and M. Starostka-Patyk, "Smart city: A bibliometric analysis of conceptual dimensions and areas," *Energies*, vol. 14, no. 14, Jul. 2021, doi: 10.3390/EN14144288.
- [23] D. F. Dominković, J. M. Weinand, F. Scheller, M. D'Andrea, and R. McKenna, "Reviewing two decades of energy system analysis with bibliometrics," *Renew. Sustain. Energy Rev.*, vol. 153, p. 111749, Jan. 2022, doi: 10.1016/J.RSER.2021.111749.
- [24] X. Sun, G. Liu, H. Hao, Z. Liu, and F. Zhao, "Modeling potential impact of COVID-19 pandemic on global electric vehicle supply chain," *iScience*, vol. 25, no. 3, p. 103903, Mar. 2022, doi: 10.1016/J.ISCI.2022.103903.
- [25] D. Ouyang, S. Zhou, and X. Ou, "The total cost of electric vehicle ownership: A consumer-oriented study of China's post-subsidy era," *Energy Policy*, vol. 149, no. October 2020, p. 112023, 2021, doi: 10.1016/j.enpol.2020.112023.
- [26] K. Jaffe, E. ter Horst, L. H. Gunn, J. D. Zambrano, and G. Molina, "A network analysis of research productivity by country, discipline, and wealth," *PLoS One*, vol. 15, no. 5, p. e0232458, May 2020, doi: 10.1371/JOURNAL.PONE.0232458.
- [27] J. Gu, M. Ouyang, D. Lu, J. Li, and L. Lu, "Energy efficiency optimization of electric vehicle driven by inwheel motors," *Int. J. Automot. Technol. 2013 145*, vol. 14,

no. 5, pp. 763–772, Sep. 2013, doi: 10.1007/S12239-013-0084-1.

- [28] X. Hao, Y. Zhou, H. Wang, and M. Ouyang, "Plug-in electric vehicles in China and the USA: a technology and market comparison," *Mitig. Adapt. Strateg. Glob. Chang.*, vol. 25, no. 3, pp. 329–353, 2020, doi: 10.1007/s11027-019-09907-z.
- [29] S. Fang, J. Song, H. Song, Y. Tai, F. Li, and T. Sinh Nguyen, "Design and control of a novel two-speed Uninterrupted Mechanical Transmission for electric vehicles," *Mech. Syst. Signal Process.*, vol. 75, pp. 473– 493, Jun. 2016, doi: 10.1016/J.YMSSP.2015.07.006.
- [30] D. Zakaria, H. Hindersah, A. Syaichu-Rohman, and A. G. Abdullah, "PI and PI Antiwindup Speed Control of Switched Reluctance Motor (SRM)," 2021 Int. Semin. Intell. Technol. Its Appl., 2021.
- [31] Y. Qin, Z. Xu, X. Wang, and M. Škare, "Green energy adoption and its determinants: A bibliometric analysis," *Renew. Sustain. Energy Rev.*, vol. 153, Jan. 2022, doi: 10.1016/J.RSER.2021.111780.
- [32] L. A. Vucovich, J. B. Baker, and J. T. Smith, "Analyzing the impact of an author's publications," *J. Med. Libr. Assoc.*, vol. 96, no. 1, p. 63, Jan. 2008, doi: 10.3163/1536-5050.96.1.63.
- [33] F. Byrne and S. Chapman, "The most cited authors and papers in tobacco control," *Tob. Control*, vol. 14, no. 3, pp. 155–160, Jun. 2005, doi: 10.1136/TC.2005.011973.